

Web Images Video News Maps more»

task switching <near> different protect domain

Search

Advanced Scholar Search Scholar Preferences Scholar Help

#### Scholar All articles - Recent articles Results 1 - 10 of about 76,000 for task switching < near> different protect domain. (0.24 seconds)

#### 

T Chiueh, G Venkitachalam, P Pradhan - Proceedings of the seventeenth ACM symposium on Operating ..., 1999 - portal.acm.org

... sets of **protection** identifiers with **different** code modules ... TLB), which is automatically

flushed on task switch. ... can form an independent protection domain if seg ...

Cited by 74 - Related articles - Web Search - Bt. Direct - All 17 versions

#### 

G Bryce, G Muller, R IRISA - Seventh IEEE Symposium on Parallel and Distributed ..., 1995 - leeexplore.ieee.org

... to place mistrusting application components in different tasks. ... switching threads

and then switching address and  $\dots$  domain communication and avoid task switch- ing  $\dots$ 

Offed by 21 - Related articles - Web Search - Bt. Direct - All 33 versions

#### Luna: a flexible Java protection system- \*sagecertification.org [PS]

C Hawblitzel, T von Eicken, I Expertoity - usenix.org

... section strive to draw clear boundaries between different domains ... on local objects

(needing no thread switch) and which are cross-task method invocations ...

Cited by 24 - Related articles - Web Search - Bt. Direct - All 13 versions

#### [PDF] Protected Shared Libraries

A Banerji, DL Cohn - Tech Rpt 94 - dspace.library.nd.edu

... If a given task has one thread is ... However, switch- ing between threads that are both

in ... course, switches between threads in different protection domains will ...

Cited by 9 - Related articles - View as HTML - Web Search - All 11 versions

#### QoS online routing and MPLS multilevel protection: a survey

JL Marzo, E Calle, C Scoglio, T Anjah - IEEE Communications Magazine, 2003 - jeeexplore.jeee.org

... LSP back to the source switch of the ... draft from the Internet Engineering Task Force

(IETF  $\dots$  According to the QoS requirements, **different protection** strategies are  $\dots$ 

<u> Cited by 52 - Related articles - Web Search - BL Direct - All 2 versions</u>

#### 

PH Ho, HT Mouffah - IEEE Communications Magazine, 2002 - leeexplore.leee.org

... With this, the **task** of end-to-end diverse routing is ... segment of its P **domain**, and

then  $\mathbf{switch}\text{-}\ \mathrm{es}\ \mathrm{the}\ ...$  in the four networks with SLSP of  $\mathbf{different}\ \mathrm{diameters},\ \mathrm{as}\ ...$ 

Olled by 196 - Related articles - Web Search - St. Oirect - All 4 versions

#### Fbufs: A high-bandwidth cross-domain transfer facility- \*toronto.edu (PDF)

P Druschel, LL Peterson - ACM SIGOPS Operating Systems Review, 1993 - portal.acm.org

... This task is made difficult by the limitations of ... can be expected on the same path

in the near future. ... The time it takes to switch to supervisor mode, acquire ...

Cited by 388 - Related articles - Web Search - Bl. Direct - All 10 versions

#### Multi-domain mesh optical network protection using Hamiltonian cycles

H Huang, JA Copeland - High Performance Switching and Routing, 2002. Merging ..., 2002 - leeexplore, leee.org

... protection scheme is a challenging task. ... usually involves complicated protection

switching configuration, the ... occur simultaneously in different regions of the ...

Cited by 6 - Related articles - Web Search - All 5 versions

#### The Mungi single-address-space operating system- \* \$38.868 (PDF)

G Heiser, K Elphinstone, J Vochteloo, S Russell, J ... - Software: Practice and Experience, 1998 - interscience wiley.com

 $m{...}$  a significant role in keeping context  $m{switching}$  costs low.  $m{...}$  For example, the server

task needs to be ... thread executes in a protection domain different from other ...

Cited by 154 - Related articles - Web Search - Library Search - Bt. Direct - All 20 versions

#### Constructing secure operating environments by co-locating multiple embedded operating systems

S Oikawa, H Ishikawa, M Iwasaki, T Nakajima - Consumer Communications and Networking Conference, 2005. ..., 2005 - leeexplore.ieee.org .... Threads are used in two **different** ways. ... is a simple yet efficient way to **protect** critical sections ... when an interrupt occurs and a higher priority **task** wakes up ...

Gited by 4 - Evelated articles - Web Search

Key authors: P Druschel - G Heiser - P Ho - J Vochteloo - G Alverson

C000000008 € №
Result Page: 1 2 3 4 5 6 7 8 9 10 Next

task switching <near> different prote Search

Google Home - About Google - About Google Scholar

©2009 Google



Web Images Video News Maps more »

task switching <near> protection domain select

Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar All articles - Recent articles Results 1 - 10 of about 35,200 for task switching < near> protection domain selection. (0.20 seconds)

## 

PH Ho, HT Mouftah - IEEE Communications Magazine, 2002 - leeexplore.leee.org

... With this, the **task** of end-to-end diverse routing ... of each node along the corresponding **protection** path segment of its P **domain**, and then **switch**- es the ...

Cited by 106 - Related articles - Web Search - Bl. Direct - All 4 versions

## CommonKADS Methodology for Developing Power Grid Switching Orders Systems

M Zhou, J Ren, J Qi, D Niu, G Li - Lecture Notes in Computer Science, 2007 - Springer

... The **switching** objects include lines, buses, transformers, breakers, **protection** relay and their combination. ... Fig. 8. **Task** configuration template ...

Related articles - Web Search - BL Direct

# Multiprotocol lambda switching: combining MPLS traffic engineeringcontrol with optical crossconnects

D Awduche, Y Rekhter - IEEE Communications Magazine, 2001 - ieeexplore.ieee.org

... to actuate a rearrangement of the crossconnect **switch** fabric such ... It complicates the **task** of internetwork ... **domain**, and enable a variety of **protection** and restora ...

Cited by 391 - Related articles - Web Search - BL Direct - All 3 versions

# An Efficient Restoration Scheme Using Protection Domain for Dynamic Traffic Demands in WDM Networks

CS Ho, IY Chen, SY Kuo - Lecture notes in computer science, 2003 - Springer

... that is responsible to perform the **task** of collecting ... end node notification time, path **switching** time and ... to the **selection** strategy of the **protection domain**. ...

Related articles - Web Search - Bt. Direct - All 2 versions

# Allocation of protection domains in dynamic WDM mesh networks

PH Ho, HT Mouftah - 10th IEEE International Conference on Network Protocols, ..., 2002 - ieeexplore.ieee.org

... Each P domain has a PSL (Path Switch LSR (Label ... Compared with the path-based protection, the segmentation of working ... With this, the task of end-to-end diverse ...

Cited by 20 - Related articles - Web Search - All 6 versions

### [PDF] •A fast and scalable inter-domain MPLS protection mechanism

C Huang, D Messier - Journal of Communications and Networks, 2004 - sce.carleton.ca

... designed specifically for this task is described ... to support inter-domain protection and restora ... Callon, "Multiprotocol label switching architecture," IETF ...

Cited by 9 - Related articles - View as HTML - Web Search - BL Direct - All 4 versions

### Sourcebook of ATM and IP Internetworking, By Khalid Ahmad Copyright© 2002 by the Institute of ...

..., ATMIN Interface, ATMLLLB OAM, ATMLP Switching - Cell - doi.wiley.com

... ICMP), 328, 349 Internet Engineering Task Force (IETF ... SN), 79, 272,279,289 Sequence Number Protection (SNP), 272 ... Language (SDL), 64 Tag Switching, 423 Tags in ...

Web Search

## Pipesfs: fast linux i/o in the unix tradition- micta.com.au (PDF)

W de Bruijn, H Bos - 2008 - portal.acm.org

... copying, context switching (both task- switching and mode ... hardware isolation to minimize mode switching over- head ... feature to avoid copying near-identical data ...

Related articles - Web Search - All 7 versions

# A hierarchical biased-competition model of **domain**-dependent working memory maintenance and executive ...

SM Courtney, JK Roth, JB Sala - The Cognitive Neuroscience of Working Memory - books.google.com

... demonstrate that a region near the posterior ... in WM maintenance emphasize the protection from interference ... b) Common activation for task-switching, Stroop task ...

Cited by 4 - Web Search

# QoS online routing and MPLS multilevel protection: a survey

JL Marzo, E Calle, C Scoglio, T Anjah - IEEE Communications Magazine, 2003 - ieeexplore.ieee.org

... protected LSP back to the source **switch** of the ... DiffServ draft from the Internet

Engineering Task Force (IETF ... The protection domain for AF2 and BE can be global ...

Cited by 52 - Related articles - Web Search - BL Direct - All 2 versions

Key authors: D Awduche - Y Rekhter - M Seltzer - P Ho - C Small

Goodoodoodale »

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

task switching <near> protection do

<u>Google Home</u> - <u>About Google</u> - <u>About Google Scholar</u>

Search

©2009 Google



Web Images Video News Maps more »

thread switching <near> protection domain sele

Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar All articles - Recent articles Results 1 - 10 of about 8,540 for thread switching < near > protection domain selection. (0.15 seconds)

## In-kernel servers on Mach 3.0: Implementation and performance - \*\*Mupmedu.sa (907)

J Lepreau, M Hibler, B Ford, J Law - usenix.org

... making calls to other servers in the same **domain**. ... system call path, even though no **protection** boundary is ... A **thread switching** model would have resulted in a ...

Cited by 44 - Related articles - Web Search - All 21 versions

### Mobile objects and agents (MOA)- \*psuedu (PDF)

DS Milojicico, W LaForge, D Chauhan - usenix.org

... when there is a different **protection domain**; it also ... to prevent us from **switching** to different ... functionality, such as maintaining **thread** execution context and ...

Cited by 102 - Related articles - Web Search - BL Direct - All 21 versions

#### Dealing with disaster: Surviving misbehaved kernel extensions-

MI Seltzer, Y Endo, C Small, KA Smith - usenix.org

... run next, **switching** kernel **threads**, and **switching** VM contexts ... a hash table containing the valid **thread** IDs ... graft described above without SFI **protection**, and the ...

Cited by 317 - Related articles - Web Search - Bl. Direct - All 36 versions

## Lightweight thread tunnelling in network applications- \*psu.edu (FDF)

A Donnelly - Lecture Notes in Computer Science, 2002 - Springer

... module's entry point – state **switching** and other ... We now describe Expert's **thread** tunnelling architecture in ... within the pod run in this **protection domain**. ...

Cited by 1 - Related articles - Web Search - BL Direct - All 17 versions

## Lower Level Architecture of the Sombrero Single Address Space Distributed Operating System

DS Miller, DB White, AC Skousen, R Tcherepov - Proceedings of the 18 th IASTED International Conference on ..., 2006 - actapress.com ... priority level and general **protection domain**, Sombrero creates ... The **selection** of the appropriate model depends ... This leads to increased **thread switching** and data ...

Related articles - Web Search - All 6 versions

#### Singularity: rethinking the software stack- microsoft.com (POF)

GC Hunt, JR Larus - 2007 - portal.acm.org

... into multiple address spaces at both user and kernel protection levels. ... written in

C or C++, for example, the **thread** context **switch**, interrupt vectors ...

Cited by 30 - Related articles - Web Search - Bt. Direct - All 9 versions

#### [PDF] \*Experience Developing an Object-Oriented Parallel Operating System

W Schroder-Preikschat - IBM symposium on object-oriented operating systems. ..., 1995 - citeseerx.ist.psu.edu

... in the single- tasking conguration causes no context switch. ... clerk is an active object

(ie, a thread). ... functions networkwide (ie, crossing protection boundaries ...

Cited by 1 - Related articles - View as HTML - Web Search - All 6 versions

## [DOC] Towards A Flexible Java Security Architecture

Y Zhang - cs.comell.edu

... with this "virtual" thread switching is that it ... domain termination, thread protection, accountability, the ... Explicit protection domain creation facilitates the ...

Related articles - View as HTML - Web Search

## [PDF] \*The structure of a multi-service operating system

T Roscoe, University of Cambridge, Computer ... - 1995 - people.inf.ethz.ch

... pervasive interfaces A set of useful interfaces, references to which are considered part of the execution context of a thread. protection domain A function ...

Cited by 93 - Related articles - View as HTML - Web Search - Library Search - All 13 versions

## On micro-kernel construction- \* \* fupm.edu.sa (PDF)

J Liedtke - ACM SIGOPS Operating Systems Review, 1995 - portal.acm.org

... arbitrary protection (and non-protection) schemes on top of the ... from the stack and/or switching back to ... something, either for threads or tasks or communication ...

Cited by 235 - Related articles - Web Search - BL Direct - All 10 versions

Key authors: M Seltzer - J Liedtke - C Small - Y Endo - K Smith

Goodoodoodogle >

Result Page: 1 2 3 4 5 6 7 8 9 10

thread switching <near> protection of

Google Home - About Google - About Google Scholar

Search

©2009 Google